

Located in the village of Des Plaines at the intersection of Central Rd. and East River Rd. on the west side of the Tri-State Tollway (I-294). This 37-acre body of water with a depth of 18.5 feet has an island in the middle of it. Along with Largemouth Bass and Bluegill one can find Yellow Bass, Yellow Perch, bullhead, and Channel Catfish in Beck Lake. Walleye and Northern Pike have been stocked here and large fish are reported every year. A boat launch can be found at the end of the parking lot. For acceptable watercraft and general boating regulations, see the District's Fishing Guide. The island is a wildlife area and access is prohibited. Designated ice fishing lake

Fish Population Survey

Fish population surveys are periodically conducted on Forest Preserves lakes in order to assess the health of the lake and the fish population in it. Surveys last anywhere from a few hours to a few days depending on the size of the lake.

Water samples are collected and analyzed for each survey. The information collected over the years will show trends in the lake's health. If any unusual readings are found, further tests may be done, or the Illinois DNR and EPA may be asked to investigate.

Fish are collected during surveys to assess the health of the population. Several methods are used to collect fish, these include experimental gill nets, Fyke or trap nets and the use of an electro-fishing boat. All fish collected are measured, weighed and a scale sample is collected when applicable. These scale samples are used to age the fish. All fish are then returned to the lake when possible.

The information listed below was collected during the most recent survey. It is only a snapshot in time. Many factors such as temperature, wind, rain and even moonlight can affect the species and number of fish that are collected. The Forest Preserves' Fisheries Section looks at data from many years when assessing a lake's fish population and assumptions from just one year of data therefore should not be made.

The dates of the survey along with the type of equipment used and the length of time it was fished is listed below. The "Total Population" tables & charts show all species collected and includes not only game fish but also forage fish. A healthy balanced population of forage fish and predatory (game) fish is needed in order to support a healthy overall fish population. Ideally, 30 to 40% of a lake's total fish population should be made up of forage fish in order to support a healthy predatory fish population. The species of forage fish varies from lake to lake, Gizzard Shad may be the main forage fish in one lake, while Bluegill/sunfish may be the main forage fish in another


Individual species tables are included only for the game fish that were collected. Game fish are those fish most sought after by anglers.



Date of survey: July 6-8, 2021 Electro-fishing time: 45 minutes O Fyke nets fished: 0 hours 500 feet of gill nets fished: 24 hours

Total Population Sampled

Species	Number	Percent
Gizzard Shad	87	30.31%
Channel Catfish	54	18.82%
Bluegill	46	16.03%
Largemouth Bass	44	15.33%
Black Crappie	16	5.57%
Warmouth	11	3.83%
Yellow Bullhead	9	3.14%
Northern Pike	7	2.44%
Yellow Perch	5	1.74%
Walleye	4	1.39%
Yellow Bass	2	0.70%
Common Carp	2	0.70%
Total	28 7	100.00%





¹∕₂ Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
12.0	3	75.56%	0.57	NA
12.5	1	1.85%	0.86	NA
13.0	8	14.81%	0.68	NA
13.5	5	9.26%	0.74	NA
14.0	13	24.07%	0.89	NA
14.5	10	18.52%	0.95	NA
15.0	6	11.11%	1.06	NA
15.5	4	7.41%	1.03	NA
16.0	2	3.70%	1.15	NA
16.5	1	1.85%	1.41	NA
-	-	-	-	-
20.5	1	1.85%	2.88	NA
Total	54	99.99%		

Channel Catfish

Bluegill

¹∕₂ Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
1.5	1	2.17%	0.002	0+
2.0	5	10.87%	0.007	0+
2.5	5	10.87%	0.009	1+
3.0	4	8.70%	0.03	1+
3.5	4	8.70%	0.04	1+
4.0	7	15.22%	0.05	2+
4.5	3	6.52%	0.07	2+
5.0	4	8.70%	0.12	3+
5.5	2	4.35%	0.13	3+
6.0	5	10.87%	0.18	3+
6.5	4	8.70%	0.21	3-4+
7.0	2	4.35%	0.29	4+
Total	46	100.02%		



¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
1.5	1	2.27%	0.002	0+
2.0	3	6.82%	0.003	0+
2.5	3	6.82%	0.007	0+
3.0	2	4.55%	0.01	0+
-	-	-	-	-
4.5	2	4.55%	0.05	1+
5.0	3	6.82%	0.07	1+
5.5	2	4.55%	0.09	1+
6.0	1	2.27%	0.11	1+
6.5	3	6.82%	0.14	1+
-	-	-	-	-
8.0	1	2.27%	0.29	1+
8.5	1	2.27%	0.31	2+
9.0	3	6.82%	0.37	2+
9.5	2	4.55%	0.42	2+
10.0	1	2.27%	0.49	3+
10.5	5	11.36%	0.51	3+
11.0	6	13.64%	0.61	3+
11.5	1	2.27%	0.69	3+
12.0	1	2.27%	0.61	4+
-	-	-	-	-
14.0	1	2.27%	1.34	5+
-	-	-	-	-
15.5	2	4.55%	1.80	5-6+
Total	44	100.01%		

Largemouth Bass



Black Crappie

¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
4.5	1	6.25%	0.04	1+
5.0	7	43.75%	0.07	1+
5.5	1	6.25%	0.10	1+
-	-	-	-	-
9.0	5	31.25%	0.42	3-4+
9.5	1	6.25%	0.50	4+
10.0	1	6.25%	0.57	4+
Total	16	100.00%		

Warmouth

1⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
2.5	1	9.09%	0.01	0+
-	-	-	-	-
4.5	1	9.09%	0.08	2-3+
5.0	2	18.18%	0.11	2+
-	-	-	-	-
6.0	1	9.09%	0.21	3+
6.5	3	27.27%	0.25	3+
-	-	-	-	-
7.5	2	18.18%	0.38	4+
-	-	-	-	-
8.5	1	9.09%	0.50	5+
Total	11	99.99%		

Yellow Bullhead

¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
9.0	4	44.44%	0.41	NA
-	-	-	-	-
10.0	1	11.11%	0.57	NA
10.5	1	11.11%	0.52	NA
11.0	2	22.22%	0.55	NA
-	-	-	-	-
12.0	1	11.11%	0.97	NA
Total	9	99.99%		



Northern Pike

¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
17.0	1	14.29%	0.89	1+
17.5	1	14.29%	0.95	1+
-	-	-	-	-
18.5	1	14.29%	1.34	2+
-	-	-	-	-
23.5	1	14.29%	2.40	3+
-	-	-	-	-
25.5	2	28.57%	3.40	5+
26.0	1	14.29%	3.65	6+
Total	7	100.02%		

Yellow Perch

¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
4.5	1	20.00%	0.04	1+
-	-	-	-	-
6.5	2	40.00%	0.15	2+
-	-	-	-	-
8.0	1	20.00%	0.23	3+
-	-	-	-	-
10.5	1	20.00%	0.49	4+
Total	5	100.00%		

Pumpkinseed

¹ ⁄2 Inch Group	Number Collected	% of Population	Average Weight lbs.	Age
16.0	1	25.00%	1.51	4+
-	-	-	-	-
17.5	1	25.00%	1.96	5+
-	-	-	-	-
18.5	1	25.00%	2.07	5+
-	-	-	-	-
23.5	1	25.00%	5.04	6+
Total	4	100.00%		



Other Species Collected

Species	Number	Length	Weight	Age
Yellow Bass	2	12.0	1.00 – 1.06	6+
Common Carp	2	21.0 - 23.5	4.25 - 5.79	3-4+

Stocking

The Forest Preserves of Cook County works closely with the Illinois Department of Natural Resources to stock fishes within the Forest Preserves lakes. The decision to stock fish and the number of fish stocked is based on many factors including but not limited to type of species, size of fish stocked, size of the lake and type of stocking. The Forest Preserves of Cook County must follow State of Illinois regulation regarding the introduction and stocking of fish. All requests to stock a new species into a District lake must go through the State's Management Recommendation Committee.

Most stocking fall under one of three categories, introduction, supplemental and put-and-take. Introduction stockings are the introduction of a new species within an existing lake or the stocking of a new body of water. Supplemental stockings are the stocking of species already in a lake and are used to supplement a species that may not successively reproduce on its own or has been overfished. Fish stocked in a put-and-take stocking are catchable size fish.

Size of Fish Stocked

Most of the fish stocked in the lakes of the Forest Preserves of Cook County are young-of-the-year and are provided by the IDNR Hatcheries. Fish from the hatcheries are stocked upon availability and are funded by your fishing licenses.

Channel Catfish are stocked at around 6-inches in most lakes.

The IDNR suspended the production, rearing and stocking of Northern Pike in 2017, Northern stocking resumed in 2020 and were stocked in the 7 to 9-inch range. Muskellunge range from 10 to 14-inches and are stocked in the Main Pool of Busse Reservoir intermittently.

Walleye fingerlings from the IDNR are 2 to 3-inches and the Walleye from the Tampier Walleye Propagation Program are stocked as fingerlings and/or fry.

Species	2018	2019	2020	2021	2022	2023
Channel Catfish	7,612	-	-	-	-	-
Northern Pike	-	-	315	150	153	153
Walleye	2,000	2,000	1,000	1,500	1,000	4,000