



Located in Barrington Hills on the south side of Penny Rd. west of Old Sutton Rd. This small 7 acre pond has a maximum depth of 4.6 feet and is connected to Spring Creek. The fish population of Penny Road Pond includes largemouth bass, bluegill, sunfish and bullhead.

#### **Fish Population Survey**

Fish population surveys are periodically conducted on Forest Preserves lakes in order to assess the health of the lake and the fish population in it. Surveys last anywhere from a few hours to a few days depending on the size of the lake.

Water samples are collected and analyzed for each survey. The information collected over the years will show trends to the lakes health. If any unusual readings are found, further tests may be done or the Illinois DNR and EPA may be asked to investigate.

Fish are collected during surveys to assess the health of the population. Several methods are used to collect fish, these include experimental gill nets, Fyke or trap nets and the use of an electro-fishing boat. All fish collected are measured, weighed and a scale sample is collected when applicable. These scale samples are used to age the fish. All fish are then returned to the lake when possible.

The information listed below was collected during the most recent survey. It is only a snapshot in time. Many factors such as temperature, wind, rain and even moon light can affect the species and number of fish that are collected. The Forest Preserves' Fisheries Section looks at data from many years when assessing a lake's fish population and assumptions from just one year of data therefore should not be made.

The dates of the survey along with the type of equipment used and the length of time it was fished is listed below. The "Total Population" tables & charts show all species collected and includes not only game fish but also forage fish. A healthy balanced population of forage fish and predatory (game) fish is needed in order to support a healthy overall fish population. Ideally, 30 to 40% of a lakes total fish population should be made up of forage fish in order to support a healthy predatory fish population. The species of forage fish varies from lake to lake, gizzard shad may be the main forage fish in one lake, while bluegill/sunfish may be the main forage fish in another

Individual species tables are included only for the game fish that were collected. Game fish are those fish most sought after by anglers.






Date of survey: September 4, 2015 Electro-fishing time: 25 minutes

Fyke nets fished: o hours

250 feet of gill nets fished: 2 hours

**Total Population** 

Species	Number	Percent
Bluegill	53	33.13%
Common Carp	42	26.25%
Black Crappie	19	11.88%
Yellow Bass	18	11.25%
Largemouth Bass	13	8.13%
White Sucker	5	3.13%
White Crappie	3	1.88%
Golden Shiner	3	1.88%
Green Sunfish x Pumpkinseed Hybrid	3	1.88%
Orange-spotted Sunfish	1	0.63%
Total	160	100.00%



# **Penny Road Pond Population Survey**



## Bluegill

½-Inch Group	Number Collected	% of Population	Average Weight lbs	Age	
3.0	10	18.86%	0.02	1+	
3.5	8	15.09%	0.04	1+	
4.0	13	24.53%	0.04	2+	
4.5	8	15.09%	0.07	2+	
5.0	12	22.64%	0.09	2 - 3+	
5.5	2	3.77%	0.14	3+	
Totals	53	100.00%			

## **Common Carp**

<sup>1</sup> /2-Inch Group	Number Collected	% of Average Weight Population lbs		Age	
9.5	2	4.76%	0.44	2+	
-	-	-	-	-	
10.5	2	4.76%	0.55	2+	
11.0	1	2.38%	0.64	2+	
11.5	1	2.38%	0.75	2+	
12.0	2	4.76%	0.79	2+	
-	-	-	-	-	
14.0	1	2.38%	1.19	2+	
14.5	3	7.14%	1.34	3+	
15.0	2	4.76%	1.48	3+	
15.5	5	11.90%	1.63	4+	
16.0	8	19.04%	1.89	4+	
16.5	3	7.14%	2.00	4+	
17.0	2	4.76%	2.12	4+	
17.5	4	9.52%	2.36	4 - 5+	
18.0	1	2.38%	2.51	4+	
18.5	1	2.38%	2.67	5+	
-	-	-	-	-	
19.5	1	2.38%	3.02	5+	
20.0	1	2.38%	3.81	5+	
20.5	1	2.38%	3.87	5+	
-	-	-	-	-	
23.0	1	2.38%	3.78	6+	
Totals	42	100.00%			

# **Penny Road Pond Population Survey**



## **Black Crappie**

½-Inch Group	Number % of Collected Population		Average Weight lbs	Age	
5.5	3	15.79%	0.10	2+	
6.0	11	57.89%	0.11	2+	
6.5	4	21.05%	0.15	2+	
7.0	1	5.26%	0.18	2+	
Totals	19	100.00%			

#### **Yellow Bass**

½-Inch Group			Average Weight lbs	Age
3.0	7	38.89%	0.01	0+
-	-	-	-	-
4.5	1	5.56%	0.05	1+
5.0	5	27.78%	0.06	1+
5.5	3	16.67%	0.09	2+
6.0	1	5.56%	0.11	2+
6.5	1	5.56%	0.13	2+
Totals	18	100.00%		

## **Largemouth Bass**

½-Inch Group	Number Collected	% of Population	Average Weight lbs	Age	
3.0	1	7.69%	0.02	0+	
-	-	-	-	-	
5.0	1	7.69%	0.06	0+	
-	-	-	-	-	
6.5	1	7.69%	0.12	1+	
-	-	-	-	-	
9.0	1	7.69%	0.41	2+	
-	-	-	-	-	
12.0	2	15.38%	0.91	2+	
-	-	-	-	-	
13.0	1	7.69%	1.30	3+	
13.5	1	7.69%	1.22	3+	
14.0	1	7.69%	1.42	3+	
14.5	1	7.69%	1.74	3+	
15.0	1	7.69%	1.70	4+	
-	-	-	-	-	
17.5	1	7.69%	3.09	5+	
-	-	-	-	-	
20.0	1	7.69%	5.26	6+	
Totals	13	100.00%			



# **Penny Road Pond Population Survey**

## White Crappie

<sup>1</sup> / <sub>2</sub> -Inch Group	Number Collected	% of Population	Average Weight lbs	Age	
5.0	1	33.33%	0.06	1+	
-	-	-	-	-	
9.5	1	33.335	0.40	2+	
-	-	-	-	-	
13.5	1	33.33%	1.35	4+	
Totals	3	99.99%			

## Other Species collected

Species	Number	Length	Weight	Age
Green Sunfish x Pumpkinseed Hybrid	3	5.0 – 6.0	0.10 - 0.17	1 – 2+
Orange-spotted Sunfish	1	1.5	0.08	0+